




REMARKS  1/3 TW037B <input type="checkbox"/> pdf		DRAWING NO.	DESCRIPTION	GENERAL TOLERANCE	ISO 2768-m	
		ITEM NO. 76121	SLIDE	STEEL		Handelsvertretung Blömeling Tel.: 02234-9369199 Fax: 02234-659903 E-Mail.: info@teleskopschienen-shop.de
	a	2015.APR.28	APPROVED	FILE: \DWG\SLIDE\ 76121		
	REVISIONS	DRAWN BY	2015.APR.28	SCALE 1:3		UNIT MM



REMARKS  2/3 TW037B <input type="checkbox"/> pdf		DRAWING NO.	DESCRIPTION	GENERAL TOLERANCE	ISO 2768-m
		ITEM NO. 76121	SLIDE	ISO 2768-m	
	a	2015.APR.28	STEEL	Handelsvertretung Blömeling	
	REVISIONS	APPROVED	FILE: \DWG\SLIDE\ 76121	Tel.: 02234-9369199 Fax: 02234-659903 E-Mail.: info@teleskopschienen-shop.de	
		DRAWN BY	SCALE 1:4	UNIT	MM
		2015.APR.28			

Item No.	Slide Length A (mm)	Slide Travel B (mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)	H(mm)	I(mm)	J(mm)	K(mm)	L(mm)	M(mm)
L76121-14	355.6	355.6	—	—	—	—	—	—	166.6	—	—	—	212.6
L76121-16	406.4	406.4	88.9	—	—	—	—	—	217.4	—	—	—	263.4
L76121-18	457.2	457.2	88.9	—	—	—	—	—	268.2	—	—	—	314.2
L76121-20	508	508	88.9	—	—	—	—	258.8	319	—	—	—	365
L76121-22	558.8	558.8	88.9	152.4	—	—	—	309.6	369.8	—	—	—	415.8
L76121-24	609.6	609.6	88.9	152.4	—	—	—	360.4	420.6	—	—	—	466.6
L76121-26	660.4	660.4	88.9	152.4	—	—	—	411.2	471.4	—	—	—	517.4
L76121-28	711.2	711.2	88.9	152.4	—	—	—	462	522.2	—	—	—	568.2
L76121-30	762	762	88.9	152.4	—	—	—	512.8	573	193.6	—	460.3	619
L76121-32	812.8	812.8	88.9	152.4	—	—	—	563.6	623.8	193.6	352.3	511.1	669.8
L76121-34	863.6	863.6	88.9	152.4	330.2	431.8	—	614.4	674.6	193.6	377.7	561.9	720.6
L76121-36	914.4	914.4	88.9	152.4	330.2	482.6	—	665.2	725.4	193.6	403.1	612.7	771.4
L76121-38	965.2	965.2	88.9	152.4	330.2	482.6	—	716	776.2	193.6	428.5	663.5	822.2
L76121-40	1016	1016	88.9	152.4	330.2	—	—	766.8	827	193.6	504.7	714.3	873
L76121-42	1066.8	1066.8	88.9	152.4	330.2	—	—	817.6	877.8	193.6	504.7	765.1	923.8
L76121-44	1117.6	1117.6	88.9	152.4	330.2	—	—	868.4	928.6	193.6	504.7	815.9	974.6
L76121-46	1168.4	1168.4	88.9	152.4	330.2	482.6	787.4	919.2	979.4	193.6	530.1	866.7	1025.4
L76121-48	1219.2	1219.2	88.9	152.4	330.2	482.6	787.4	970	1030.2	193.6	555.5	917.5	1076.2
L76121-50	1270	1270	88.9	152.4	330.2	482.6	787.4	1020.8	1081	193.6	555.5	917.5	1127
L76121-52	1320.8	1320.8	88.9	152.4	330.2	482.6	787.4	1071.6	1131.8	193.6	555.5	917.5	1177.8
L76121-54	1371.6	1371.6	88.9	152.4	330.2	482.6	787.4	1122.4	1182.6	193.6	555.5	917.5	1228.6
L76121-56	1422.4	1422.4	88.9	152.4	330.2	482.6	787.4	1173.2	1233.4	193.6	555.5	917.5	1279.4
L76121-58	1473.2	1473.2	88.9	152.4	330.2	482.6	787.4	1224	1284.2	193.6	555.5	917.5	1330.2
L76121-60	1524	1524	88.9	152.4	330.2	482.6	1092.4	1274.8	1335	193.6	555.5	917.5	1381

REMARKS  3/3 TW037B <input type="checkbox"/> pdf		DRAWING NO.	DESCRIPTION	GENERAL TOLERANCE	ISO 2768-m 
		ITEM NO. 76121	SLIDE	ISO 2768-m	
	a	2015.APR.28	STEEL	Handelsvertretung Blömeling	
	REVISIONS	APPROVED	FILE: \DWG\SLIDE\ 76121	Tel.: 02234-9369199 Fax: 02234-659903 E-Mail.: info@teleskopschienen-shop.de	
		DRAWN BY	SCALE 1:4  UNIT MM		